Electronic Design 1979 Annual Index of Articles

Analog Circuits

Analog circuits speed up, paced by faster data converters...SR, Jan. 4, p. 80

Linear LSI boosts converter resolution, improves op amps...SR, Feb. 15, p. 40

Look for speedier a/d, d/a chips soon...N&T, Jan. 4, p. 27

Monolithic d/a and a/d converters: The best is yet to come...SR, Feb. 1, p. 35

Hybrid, modular converters—high performance and getting better...SR, March 15, p. 50

Four converters, BIFET amp add up to performance plus...PF, Oct. 25, p. 151

16 and 18-bit converter modules set new standards of performance...PF, June 7, p. 157

8-bit a/d chip is low-cost, self-contained and fast...PF, March 1, p. 201

Fast 13-bit ADC uses bipolar, PMOS, I^2L...N&T, March 15, p. 23

Two-chip a/d converter delivers 16-bit resolution and more...PF, March 15, p. 115

Two-chip a/d converter delivers 16-bit performance plus μP compatibility...DE, March 29, p. 128

From TRW: The fastest ADC chip plus filtered CCD MUX...N&T, June 21, p. 19

Harris unveils 1980 plans for digital, analog products...N&T, Oct. 11, p. 21

8-bit CMOS ADC chips interface directly to μPs...PF, Oct. 11, p. 228

Voltage-output d/a converters are the fastest hybrids yet...PF, Jan. 4, p. 186

Thin-film hybrid d/a's to heat up speed race...N&T, Jan 18, p. 20

Monolithic d/a converters give fast, accurate current outputs...PF, Jan. 18, p. 116

Hybrid current-out d/a converters settle in a flash up to 12 bits...PF, Feb. 1, p. 101

Check out d/a converter capabilities for data-distribution system designs...DE, March 1, p. 190

Trim-free 12-bit DAC chip offers low cost, high speed...PF, March 15, p. 113

10-bit video DAC chip does its own deglitching...N&T, June 7, p. 20

First 10-bit video DAC chip holds down output glitches...PF, June 21, p. 164

For first time, 18-bit DAC squeezed into hybrid package...PF, June 21, p. 166

Hybrid 12-bit multiplying DAC sells for a low $24 in hundreds...PF, July 19, p. 159

Hybrid DACs settle in record time...PF, Sept. 1, p. 57

Hybrid 16-bit d/a converters sell for a low $72.50 apiece...PF, Sept. 1, p. 144

8-bit DAC gives 15-bit resolution in sample-and-hold circuit...IFD, Dec. 20, p. 90

Low price tag hangs on one-package 12-bit data systems...PF, Feb. 1, p. 104

Low-cost 12-bit DAS pares down μP interfacing...PF, April 12, p. 163

16-bit analog data acquisition in 1 package...N&T, April 26, p. 19

Data-acquisition module delivers 16-bit performance...PF, May 10, p. 126

Data-acquisition modules pack programmable amp...PF, May 24, p. 231

A/d converter, sample/hold combined in high-speed module...PF, Oct. 25, p. 149

Data-acquisition system can process 8 analog inputs...PF, Oct. 25, p. 179

Op amp chip to work from 1 to 40-V supplies...N&T, Jan. 4, p. 27

Micropower bipolar op amp works with supply as low as 1 V...PF, Jan. 18, p. 113

Broadband hybrid op amp slews at 1000 V/μs...PF, Jan. 18, p. 114

Amplifier offset drifts drop with CAZ designs...PF, March 29, p. 162

Power amp brings plenty of drive to torque synchros...PF, March 29, p. 180

Wideband amp spans 1.2 GHz and slews at 600 V/μs...PF, April 12, p. 172

Linear isolation amps protect against high CMVs...PF, April 12, p. 177

Low-cost instrumentation amp delivers high performance...PF, June 21, p. 170

Focus on amplifiers: Performance on the rise for operational, instrumentation, isolation amps...SR, July 19, p. 129

BIFET quad op amps can be programmed...PF, July 19, p. 150

TRIMFET op amps bring input offset down to 0.5 mV...PF, July 19, p. 154

Commutating design for IC amplifiers virtually eliminates offset errors...DE, Sept. 1, p. 78

Open-loop buffer/voltage-follower boasts high-speed, accurate dc operation...PF, Sept. 27, p. 105

Digitally controlled amplifier changes gain in less than 5 μs...PF, Sept. 27, p. 109

Op amp delivers big watts while consuming little power....PF, Sept. 27, p. 110

National bipolar op amp gives super dc input performance...N&T, Nov. 8, p. 15

The 1979 index of articles is divided into 15 major subject categories:

Analog Circuits	**Management & Careers**
Circuit Design	**Memories**
Communications	**Microprocessors & Logic Chips**
Components	**Packaging & Production**
Computer Boards	**Peripherals**
Computer Systems	**Power**
Fiber Optics	**Software & μP emulation**
Instruments	

Types of articles are described by codes:

Design Engineering: DE
News & Technology: N&T
Ideas for Design: IFD
Special Report: SR
Product Feature: PF

In addition, the standard alphabetical listings of article titles within each major subject area have been replaced with listings that group articles on similar subjects. Under Components, for example, articles on resistors are together, then articles on capacitors, etc. Within each subcategory, the articles are listed in chronological order so that a particular device can be traced from first announcement to full details.

Electronic Design 1979 Annual Index of Articles

Analog Circuits

Analog circuits speed up, paced by faster data converters...SR, Jan. 4, p. 80

Linear LSI boosts converter resolution, improves op amps...SR, Feb. 15, p. 40

Look for speedier a/d, d/a chips soon...N&T, Jan. 4, p. 27

Monolithic d/a and a/d converters: The best is yet to come...SR, Feb. 1, p. 35

Hybrid, modular converters—high performance and getting better...SR, March 15, p. 50

Four converters, BIFET amp add up to performance plus...PF, Oct. 25, p. 151

16 and 18-bit converter modules set new standards of performance...PF, June 7, p. 157

8-bit a/d chip is low-cost, self-contained and fast...PF, March 1, p. 201

Fast 13-bit ADC uses bipolar, PMOS, I^2L...N&T, March 15, p. 23

Two-chip a/d converter delivers 16-bit resolution and more...PF, March 15, p. 115

Two-chip a/d converter delivers 16-bit performance plus μP compatibility...DE, March 29, p. 128

From TRW: The fastest ADC chip plus filtered CCD MUX...N&T, June 21, p. 19

Harris unveils 1980 plans for digital, analog products...N&T, Oct. 11, p. 21

8-bit CMOS ADC chips interface directly to μPs...PF, Oct. 11, p. 228

Voltage-output d/a converters are the fastest hybrids yet...PF, Jan. 4, p. 186

Thin-film hybrid d/a's to heat up speed race...N&T, Jan 18, p. 20

Monolithic d/a converters give fast, accurate current outputs...PF, Jan. 18, p. 116

Hybrid current-out d/a converters settle in a flash up to 12 bits...PF, Feb. 1, p. 101

Check out d/a converter capabilities for data-distribution system designs...DE, March 1, p. 190

Trim-free 12-bit DAC chip offers low cost, high speed...PF, March 15, p. 113

10-bit video DAC chip does its own deglitching...N&T, June 7, p. 20

First 10-bit video DAC chip holds down output glitches...PF, June 21, p. 164

For first time, 18-bit DAC squeezed into hybrid package...PF, June 21, p. 166

Hybrid 12-bit multiplying DAC sells for a low $24 in hundreds...PF, July 19, p. 159

Hybrid DACs settle in record time...PF, Sept. 1, p. 57

Hybrid 16-bit d/a converters sell for a low $72.50 apiece...PF, Sept. 1, p. 144

8-bit DAC gives 15-bit resolution in sample-and-hold circuit...IFD, Dec. 20, p. 90

Low price tag hangs on one-package 12-bit data systems...PF, Feb. 1, p. 104

Low-cost 12-bit DAS pares down μP interfacing...PF, April 12, p. 163

16-bit analog data acquisition in 1 package...N&T, April 26, p. 19

Data-acquisition module delivers 16-bit performance...PF, May 10, p. 126

Data-acquisition modules pack programmable amp...PF, May 24, p. 231

A/d converter, sample/hold combined in high-speed module...PF, Oct. 25, p. 149

Data-acquisition system can process 8 analog inputs...PF, Oct. 25, p. 179

Op amp chip to work from 1 to 40-V supplies...N&T, Jan. 4, p. 27

Micropower bipolar op amp works with supply as low as 1 V...PF, Jan. 18, p. 113

Broadband hybrid op amp slews at 1000 V/μs...PF, Jan. 18, p. 114

Amplifier offset drifts drop with CAZ designs...PF, March 29, p. 162

Power amp brings plenty of drive to torque synchros...PF, March 29, p. 180

Wideband amp spans 1.2 GHz and slews at 600 V/μs...PF, April 12, p. 172

Linear isolation amps protect against high CMVs...PF, April 12, p. 177

Low-cost instrumentation amp delivers high performance...PF, June 21, p. 170

Focus on amplifiers: Performance on the rise for operational, instrumentation, isolation amps...SR, July 19, p. 129

BIFET quad op amps can be programmed...PF, July 19, p. 150

TRIMFET op amps bring input offset down to 0.5 mV...PF, July 19, p. 154

Commutating design for IC amplifiers virtually eliminates offset errors...DE, Sept. 1, p. 78

Open-loop buffer/voltage-follower boasts high-speed, accurate dc operation...PF, Sept. 27, p. 105

Digitally controlled amplifier changes gain in less than 5 μs...PF, Sept. 27, p. 109

Op amp delivers big watts while consuming little power....PF, Sept. 27, p. 110

National bipolar op amp gives super dc input performance...N&T, Nov. 8, p. 15

The 1979 index of articles is divided into 15 major subject categories:

Analog Circuits	**Management & Careers**
Circuit Design	**Memories**
Communications	**Microprocessors & Logic Chips**
Components	**Packaging & Production**
Computer Boards	**Peripherals**
Computer Systems	**Power**
Fiber Optics	**Software & μP emulation**
Instruments	

Types of articles are described by codes:

Design Engineering: DE
News & Technology: N&T
Ideas for Design: IFD
Special Report: SR
Product Feature: PF

In addition, the standard alphabetical listings of article titles within each major subject area have been replaced with listings that group articles on similar subjects. Under Components, for example, articles on resistors are together, then articles on capacitors, etc. Within each subcategory, the articles are listed in chronological order so that a particular device can be traced from first announcement to full details.

IC bipolar op amp challenges FET designs —shrinks input bias current, offset voltage...PF, Nov. 22, p. 223

Fast, open loop IC buffer spurs new voltage-follower applications...DE, Dec. 6, p. 78

IC bipolar op amp holds down dc errors, even over temperature...DE, Dec. 20, p. 44

Precision sample-holds handle fast throughputs...PF, Aug. 16, p. 113

Low-cost sense-and-hold grabs signal peaks in 20 ns...PF, Sept. 27, p. 112

Modular sample-and-hold works with high-speed ADCs...PF, Nov. 8, p. 128

IC switched-mode controller monitors and protects, too...PF, Feb. 1, p. 102

On-chip thermal sensing pushes IC regulator to 12 A...N&T, March 15, p. 23

Monolithic regulators can peak at twice their normal output...PF, March 29, p. 161

Switching-supply controller chips pack more drive, sharper reference...PF, April 26, p. 131

Switching-regulator ICs simplify switcher design with on-chip control and protection...SR, June 7, p. 58

Switching regulator controller carries protection-plus on-chip...PF, June 7, p. 132

IC voltage reference costs little power, less money...PF, Dec. 6, p. 165

Switching regulator simplifies supply design...PF, June 21, p. 172

10-V IC references offer 2-mV precision...PF, Aug. 2, p. 144

Improved linear, interface circuits coming in 1979...N&T, Jan. 18, p. 19

Latch-free analog switches can take overvoltages...PF, May 10, p. 119

Low-cost multiplier does more than multiply...PF, May 10, p. 128

Single chip corrects flat-screen CRT distortion...PF, March 29, p. 165

Fast BBDs correlate, average—and more ...PF, Jan. 4, p. 179

Rocket guidance system lifts reliability by ignoring component failures...N&T, Feb. 1, p. 21

Circuit Design

Single added resistor reduces excessive op-amp bandwidth...IFD, Jan. 4, p. 170

Ramp generator gives servos separate acceleration and deceleration limits...DE, Jan. 18, p. 102

Control a latching relay from TTL inputs with a dual photo-SCR coupler...DE, Jan. 18, p. 106

Binary gain-range amplifier operates over wide dynamic range...IFD, Feb. 1, p. 90

Bring Lerner filters up-to-date: Replace passive components with op amps...DE, Feb. 15, p. 94

One-shot adapts resistive/capacitive transducers to a microprocessor...DE, Feb. 15, p. 142

Remove the overshoot from a peak detector's output with one resistor...IFD, Feb. 15, p. 146

Make a linear, low-cost v/f converter from an op amp and a 555 timer...IFD, March 15, p. 94

Compute accurate reciprocals with supermatched dual transistors...IFD, March 15, p. 96

Multiple op amps share heavy loads—when resistors distribute the burden...IFD, April 26, p. 108

Transducer interface sends data over the pair that carries power to it...IFD, June 7, p. 124

Precision dual one-shot times pulses consistently for a solenoid actuator...IFD, June 21, p. 116

Level shifts adapt multifunction module to two-quadrant operation...IFD, June 21, p. 118

Enclosing diode in op-amp feedback loop zeroes distortion in transmission gate ...IFD, July 5, p. 82

Norton op amp teams with zener for single-supply window comparator...IFD, July 5, p. 86

Digital servo encoder pattern compensates for overshoot...IFD, July 19, p. 124

Dual FET and dual op amp compute ratio of analog signals...IFD, Sept. 1, p. 128

Inductor and emitter follower remove stored charge to turn off 4 A in 20 ns...IFD, Sept. 13, p. 154

Delay circuit retains dynamic braking to stop coasting of windshield wipers...IFD, Sept. 13, p. 156

BIFET op amp and bipolar op amp join forces for low drift and fast slewing...IFD, Sept. 13, p. 158

Expandable analog multiplexer controls gain of all inputs with two resistors...IFD, Sept. 27, p. 88

Single potentiometer controls gain of precision rectifier...IFD, Nov. 8, p. 94

Filter gain is adjustable using a simple resistance ratio...IFD, Nov. 8, p. 96

Peak detector monitors its ac input, dc output; resets automatically...IFD, Nov. 22, p. 212

Model semiconductor thermal designs even with scanty vendor data...DE, Feb. 15, p. 102

Flip-flop adds hysteresis digitally to reduce cycling in temp controller...IFD, April 26, p. 110

Use resistor networks as heaters to keep operating temperature constant...IFD, Aug. 16, p. 102

Simplify and improve heat control by combining temperature sensor and heater...DE, Oct. 25, p. 106

Build your own capacitance meter with a dual timer and simple parts...IFD, Jan. 4, p. 166

Turn a CMOS hex Schmitt trigger into a reliable, low-cost audible alarm...DE, Jan. 18, p. 104

Simple cable-and-wiring checker makes a good general-purpose tester...IFD, March 29, p. 150

A/d converter measures bipolar peaks slowly, but to 10-bit accuracy...IFD, March 29, p. 152

Digital approach streamlines design of baseline clipper...IFD, April 12, p. 148

Analog multiplexer converts single-trace scope to four-trace...IFD, May 10, p. 102

Dual one-shot generates markers at any harmonic of any reference to 5 MHz...IFD, Aug. 2, p. 112

Pickup coil makes easy work of finding shorts on system buses...IFD, Aug. 2, p. 116

Resistor ladder combines digital signals for display on one scope trace...IFD, Aug. 16, p. 100

LED array and low-cost components monitor digital or analog waveforms...IFD, Sept. 1, p. 122

Op-amp circuit measures h_{fe} over a wide frequency range...IFD, Oct. 11, p. 168

Indicator shows presence of pulses with rep rates from 1.5 Hz to 75 MHz...IFD, Nov. 8, p. 98

Self-start monostable multivibrator triggers on slow-changing signals, fast pulses...IFD, Nov. 22, p. 214

Glitch catcher finds noise, transients in logic circuits...IFD, Dec. 6, p. 124

Single RC network gives variable delay, preserves input-signal pulse width...IFD, Jan. 4, p. 168

CMOS 555 astable swings rail-to-rail to generate true square waves...IFD, May 10, p. 100

Quad op amp generates four different synchronized waveforms simultaneously...IFD, June 7, p. 122

CMOS oscillator with pulse output offers wide range of duty cycles...IFD, June 21, p. 120

Active clamp for gated 555 astable produces fully symmetrical output...IFD, Sept. 1, p. 124

Dual timer produces exponentials without warm-up or drift problems...IFD, Oct. 11, p. 170

Cross-coupled one-shots divide by odd numbers and give a symmetrical output...IFD, Oct. 25, p. 114

Digital frequency doubler follows input symmetry over an 11-octave range...IFD, Nov. 22, p. 217

Single, N-channel FET controls gain on direct-coupled video amplifier IC...IFD, Dec. 6, p. 128

Simple protective circuit ensures proper power sequence to MOS RAMs...IFD, Feb. 1, p. 92

One-coupler circuit simplifies conversion of negative logic levels to positive...IFD, Feb. 1, p. 94

Unload the master with a slave in μC-based sensor monitoring...DE, Feb. 15, p. 78

LEDs mounted on a component carrier display microcomputer data inexpensively...IFD, Feb. 15, p. 144

Checksum routine, plus LED and one-shot, monitor microcomputer operation...IFD, April 12, p. 146

Get to know the FFT and take advantage of speedy LSI building blocks...DE, April 26, p. 78

Use channel-selection logic to gate signals for analysis...IFD, April 26, p. 112

EPROMs are the building blocks for expandable universal timing generator...IFD, June 7, p. 120

Single-gate transition detector responds to positive and negative edges...IFD, July 5, p. 84

PROM replaces individual gates in pseudorandom sequence generator...IFD, July 19, p. 122

Adapter modifies a 2716 EPROM programmer to accept 2732s...IFD, Oct. 25, p. 112

Bimapped port accepts both I/O and memory-reference instructions...IFD, Oct. 25, p. 116

Program noise-bandwidth and rms-voltage computations into a calculator...DE, Jan. 4, p. 154

Hand-held calculator with LCD dot-matrix display works like computer...N&T, June 7, p. 34

Speed transformer and op-amp design with a fast-working desktop computer...DE, July 19, p. 80

New math transform bridges the linear-digital gap...N&T, Aug. 16, p. 30

Solve complex control problems with a desktop computer...DE, Aug. 16, p. 84

Implement digital filters efficiently with a specially configured computer...DE, Sept. 1, p. 110

ANNUAL INDEX

(continued)

Estimate prices for electronic equipment ...ly by counting the ICs...IFD, Sept. 92

E... bandwidth-calculation drudgery a universal calculator ...gram...DE, Oct. 11, p. 154

Printing calculator normalizes data, makes graphical X-Y plot...IFD, Dec. 6, p. 126

Compute s-function/time-domain response quickly with a programmable calculator...DE, Dec. 6, p. 114

Calculations predict bandwidth effects of impedance-matching half-wave balun...DE, Dec. 6, p. 100

Computer-implemented digital bandpass filters give almost any output response...DE, Dec. 20, p. 50

Communications

Tele and data comm advance with digital breakthroughs...SR, Jan. 4, p. 120

Start data-comm design right—determine the transmission channel you'll need...DE, April 26, p. 66

Modems: The key to interfacing digital data to analog telecomm lines...DE, May 10, p. 82

Near-infrared laser data link cuts out transmission errors...N&T, May 24, p. 45

Orient your data-link protocols toward bits, though characters still count...DE, July 19, p. 86

Fitting the modem to the application increases line efficiency, cuts cost...N&T, Aug. 2, p. 60

Simulator/tester facilitates development of X.25 networks...PF, Oct. 11, p. 241

Analyzing data-comm channels requires special equipment doing special measurements...DE, Oct. 11, p. 144

Codec chips vie to become the LSI key to PCM telecommunications...N&T, Jan. 4, p. 36

Enhanced LSI chip slashes data-comm interface programming...N&T, Feb. 15, p. 52

The new telecom—LSI connection: first codecs, now filter chips...SR, Feb. 15, p. 50

Integrated telecommunications: It's a large-scale world...SR, April 12, p. 68

Two-chip coder/decoder set brings the filters on-board...PF, April 12, p. 171

LSI—the key to a high-performance DTMF receiver using standard filters...SR, April 12, p. 138

First monolithic PCM filter cuts cost of telecomm systems...SR, April 12, p. 130

LSI shrinks telephone interfacing problems—but not performance...SR, April 12, p. 126

Today's telecomm chips are too powerful to be mere components...SR, April 12, p. 70

A frequency-shift-keyed modem in LSI? All it takes for full duplex is two ICs...SR, April 12, p. 110

At last! A data-comm interface chip that really unloads your CPU—even in BISYNC...SR, April 12, p. 100

LSI building blocks will channel the rising tide of data transmission...SR, April 26, p. 58

CMOS codec set makes one chip the encoder, one chip the decoder...N&T, April 26, p. 27

Here's a data-comm channel saver: Design a serial-communications interface in LSI...DE, June 7, p. 98

I^2L and digital logic put radio receiver and decoder on one chip...N&T, July 5, p. 33

DTMF receiver/decoder ties directly to phone lines...PF, July 19, p. 192

1 chip takes all avionics data-comm protocols...N&T, Aug. 2, p. 22

ICs control major elements—and costs—of 3-state modem transmitters, receivers...DE, Sept. 13, p. 134

Rf, microwave transistors cut noise, raise power, stretch bandwidth...N&T, Dec. 6, p. 51

Cancelling echoes digitally improves long-distance phone talk...N&T, Jan. 18, p. 25

Tester checks bit error rate in radio links...PF, Feb. 1, p. 117

Data analyzer/emulator monitors at 1.6 Mbits/s...PF, May 24, p. 195

Drop your costs, but not your bits with a Manchester-data decoder...DE, July 19, p. 110

Suppress phase-lock-loop sidebands without introducing instability...DE, Sept. 13, p. 142

Data-compression algorithm boosts facsimile speed...N&T, Sept. 13, p. 57

Industrial data-comm MUX has 16 power I/O channels...PF, Oct. 25, p. 159

Users control three-level data-comm system...N&T, Nov. 8, p. 16

Medium-speed multipliers trim cost, shrink bandwidth in speech transmission...DE, Feb. 1, p. 58

Losses down, bandwidth up with new SAW devices...N&T, Feb. 15, p. 25

Zero-bias diode extends detector range...PF, Sept. 1, p. 64

Overvoltage arresters block communication-line damage...PF, Sept. 13, p. 223

And now the Tri-mixer: a broadband, balanced modulator that helps recover Gbit/s data...DE, Sept. 27, p. 76

Telephone adapter taps five lines from standard ribbon in the field...PF, Oct. 11, p. 204

Adaptive coding sharpens TV picture...N&T, May 24, p. 23

Codec using adaptive coding produces best TV picture by far...N&T, June 7, p. 30

Scanning sat-TV system gets good test marks...N&T, Aug. 2, p. 21

Continuous phase-shift modulation saves power in spread-spectrum data comm...DE, Dec. 6, p. 92

Modular three-level data-comm network looks like the standard for 1980s...PF, Nov. 22, p. 226

Components

Passive discretes pushed by better materials and packaging...SR, Jan. 4, p. 128

Power plate resistors withstand voltage surges...PF, June 21, p. 150

Switchable attenuator packed into small DIP...PF, July 5, p. 104

Passives pack more punch in packaging, power, precision...SR, July 19, p. 56

Choosing the right resistor: Three experts give their views...DE, July 19, p. 74

Metal-oxide varistors need no derating at 85 C...PF, Aug. 16, p. 106

Low-cost pot control boasts precision specs...PF, Nov. 8, p. 140

Hot-molded, 1/8-W resistors provide up to 1 TΩ at 10% tolerances...PF, Nov. 22, p. 267

Thick-film resistor paste withstands high-voltage surges...PF, Nov. 22, p. 278

Super-k capacitor holds big charge in small package...PF, June 21, p. 158

Polypropylene capacitors tolerate high-voltage pulses...PF, Sept. 13, p. 242

Chip-capacitor arrays save board space...PF, Sept. 1, p. 57

Polysulfone capacitors boast ±1% tolerances, zero tempco...PF, Nov. 8, p. 148

Capacitors as alternatives to tantalums, batteries...N&T, Nov. 22, p. 21

Capacitor specs supplant equations in predicting microwave performance...DE, Dec. 6, p. 86

Tiny Al capacitor rival size and price of tantalum...PF, Dec. 6, p. 144

Ultra-thin Mylar film takes on competition in capacitor dielectrics...PF, Dec. 6, p. 178

Beyond LSI: Advanced CCD imagers, better microwave FETs—and more...SR, Feb. 15, p. 44

Flat panels from Japan aim to replace CRTs in terminals...N&T, April 12, p. 30

Liquid epitaxy matches red, green LEDs...N&T, May 10, p. 20

LED displays carry single-chip ASCII decoder/driver...PF, May 24, p. 262

Emitter-detector senses bar codes with double-duty lens...PF, June 21, p. 153

From Japan: optical transformer, photo process for large-scale hybrids...N&T, June 21, p. 29

Dichroic crystals make reading easy...N&T, July 5, p. 24

Flat LED lamps give uniform lighting...PF, Sept. 1, p. 62

Intelligent displays cope with heavy use...PF, Sept. 1, p. 64

Fluorescent display glows on just 5 V...PF, Sept. 1, p. 58

LED digits stand tall in a small package...PF, Sept. 1, p. 61

Optoelectronic components sparked by faster switching, higher isolation...SR, Sept. 13, p. 76

Focus on alphanumeric displays: Bright future for colorful, intelligent rivals...SR, Sept. 13, p. 163

Board-mounting capsule and lens protect LEDs from dust, static...PF, Sept. 13, p. 209

Epitaxy process yields LEDs that radiate blue...N&T, Sept. 27, p. 20

Iridium film promises reliable, low-cost displays...N&T, Nov. 22, p. 22

Light activates fast-response LCD valve based on MOS...N&T, Dec. 6, p. 32

Rugged CCD imagers challenge vidicons in industrial uses...PF, Dec. 6, p. 146

Focus on ZIF, LIF connectors: Labor-saving contacts handle monster DIPs and boards...SR, Sept. 27, p. 97

Miniconnectors match larger versions in strength, quality...N&T, Sept. 27, p. 26

Connectors liberate I/O pins from ground...N&T, Sept. 27, p. 19

Mass-terminated subminiature D cuts consumer connection costs...PF, Oct. 11, p. 197

Cable connector doubles I/O connections, saves PC space...PF, Oct. 11, p. 190

Ribbon-cable connectors offer goof-proof mating...PF, Oct. 25, p. 168

Zero-insertion-force sockets mate up to 50,000 times at 200 C...PF, Oct. 25, p. 170

Study warns: Creep rate weakens contacts in ribbon connectors...N&T, Oct. 25, p. 26

'Super' MIL-C-38999 connectors are

rugged, save replacement costs...PF, Nov. 8, p. 132

Contact resistance for elastomeric connectors hits low of 40 to 60 mΩ ...PF, Dec. 6, p. 168

Mil-C-28840 circular connector steps up contact density...PF, Dec. 6, p. 170

MOSFET solid-state relay handles both dc and ac...N&T, Jan. 4, p. 28

Predict relay life reliably with simple empirical equations...DE, Feb. 1, p. 80

Ferrite-core keyswitches offer low-cost reliability.. PF, May 24, p. 201

Focus on keyboards: The real challenge is 'interfacing' the computer user to the right one...SR, May 24, p. 169

Keyboard replaces usual components with one magnetoacoustic delay line...N&T, July 19, p. 35

Hall-effect transducer provides high linearity and sensitivity...PF, Aug. 16, p. 105

Flexible, rugged keyboards guard switches from environmental hazards...PF, Sept. 1, p. 55

Sealed membranes protect low-cost switch contacts...PF, Sept. 27, p. 126

Low cost inspires new uses for linear Hall-effect ICs...N&T, Sept. 27, p. 23

Temperature-stable reed relay brings thermal EMF down to 500 nV...PF, Nov. 8, p. 144

Thumbwheel switches sealed against industrial, outdoor conditions...PF, Nov. 8, p. 146

Focus on PC-board rotary switches: Power is up, size down, life longer...SR, Dec. 20, p. 111

Get superior performance from reed relays in switching low-level signals...DE, Dec. 20, p. 58

Positive feedback compensates tempco of pressure-transducer sensitivity...IFD, March 29, p. 148

Focus on transducers: Semiconductors make inroads, but electromechanicals hold their own...SR, July 5, p. 89

Crystal clock oscillators put out 50 MHz to within ±0.0025%...PF, Jan. 4, p. 196

Solar cells: Efficiency on the rise, as cost of production drops...N&T, Jan. 4, p. 40

Low-noise output amp lightens CCD's random-noise burden...N&T, Feb. 1, p. 24

Semiconductor cathode boosts beam currents...N&T, July 19, p. 25

EOTF independently controls wavelength and linewidth...N&T, Sept. 13, p. 62

Hollow-rotor, low-inertia motors outrun iron-core motors but keep their cool...DE, Nov. 8, p. 66

Speed ferromagnetic inductor designs with a programmable calculator...DE, Dec. 20, p. 74

Computer Boards

1979 Microcomputer Data Manual...SR, March 1, p. 45

Microcomputer data pages...SR, March 1, p. 55

Plug-in debugs LSI-11 hardware and software...N&T, Jan. 18, p. 19

LSI-11-compatible system achieves high performance in small packages...PF, Oct. 25, p. 186

Single-board μC starts with high-speed floating-point...N&T, April 26, p. 20

Throwaway boards offer easy replacement...N&T, May 10, p. 19

CPU-board family expands to fit application...PF, May 24, p. 217

Microcomputer packs mini speeds in board, box or system format...PF, May 24, p. 179

Low-cost microcomputer handles professional tasks...PF, Oct. 11, p. 215

μC board packs four ports to handle most I/O needs...PF, Sept. 13, p. 175

Multibus and S-100—ready for standardization...N&T, Sept. 27, p. 30

Z-bus and peripheral support packages tie distributed computer systems together...DE, Nov. 22, p. 144

Universal STD 8-bit μC bus growing in support and compatibility...N&T, Dec, 6, p. 29

Another place to go for 16-bit analog-I/O boards...N&T, April 12, p. 19

Analog input boards isolate signals, reject noise...PF, April 26, p. 132

Analog I/O boards—the quick, easy way to interface μC with application...SR, April 26, p. 45

Analog I/O brought together on one board for STD bus...PF, July 19, p. 140

Analog board speeds access with integral 'mailbox' RAM...PF, Sept. 13, p. 177

A/d converter grabs and digitizes standard video signals for display...PF, Sept. 13, p. 178

Analog boards collect, compute data ...N&T, Sept. 27, p. 19

Single-card analog input boards pack their own intelligence...PF, Oct. 11, p. 183

On-card microcomputer brings intelligence to analog input boards...DE, Oct. 25, p. 68

μC-based board family does mile-long data acquisition...N&T, Nov. 22, p. 21

Industrial analog board isolated inputs to 250 V rms...PF, Nov. 22, p. 235

Remote data system needs just one twisted pair to link analog sensors with host computer...DE, Dec. 6, p. 68

Slaves with memory I/O run new multiprocessor technique...N&T, May 24, p. 46

CPU boards provide video and choice of instruction sets...PF, July 19, p. 139

Voice-data-entry boards grasp big vocabulary...PF, Oct. 25, p. 152

When synthesizer speaks, equipment operators listen...N&T, Nov. 8, p. 15

Single-board controller handles 80 Mbytes for Multibus systems...PF, Dec. 6, p. 137

Computer Systems

Computers, big and small, still spreading as software grows...SR, Jan. 4, p. 88

Technology survey predicts big jump for computer hardware and software...N&T, March 29, p. 40

To give your computer system its 'personality,' be ready for tradeoffs...SR, May 24, p. 60

The desktop computer emerges as a powerful tool...DE, July 5, p. 62

New 16-bit minicomputer family ranges all the way up to 256 kbytes of main memory...PF, Jan. 18, p. 122

Mini cuts memory cycles, doubles speed ...N&T, Jan. 18, p. 19

More memory, speed with new microNova...N&T, March 15, p. 23

Eclipse computer tailored to be mil-spec supermini...N&T, March 29, p. 34

Maxi capabilities at mini prices—plus self-diagnostics...PF, April 26, p. 146

Extras make it hard to tell micros from minis from mainframes...SR, May 24, p. 58

Small computer stores OS and program on disk...PF, May 24, p. 185

New language opens HP-300 computers to OEM market...N&T, Aug. 16, p. 28

Storing instructions speeds Nova 4 minis...N&T, Jan. 4, p. 28

Information processor directs up to 8 plotters...PF, May 24, p. 193

FFT pipeline processor—1000 times faster than standard computers...PF, Nov. 8, p. 159

Chinese computers developing fast—but have a long way to go...N&T, March 29, p. 51

Modular computer architectures can be tailored to the job...N&T, May 10, p. 34

Stand-alone system does image processing...PF, May 24, p. 197

Fast LSI arbiters supervise priorities for bus access in multiprocessor systems...DE, May 24, p. 128

Programmable controllers put μPs, IC memories to work in industry...SR, July 5, p. 38

5-μC system in display house gives ambient control—and more...N&T, Aug. 2, p. 40

To make distributed processing work, pick the right network architecture and protocol...DE, Aug. 16, p. 76

Color-graphics computer uses standard Pascal...N&T, Sept. 1, p. 21

Four-way cache memory boosts supermini speed...N&T, Oct. 25, p. 34

Optical system recognizes selected words in text...N&T, Oct. 25, p. 28

Pinpoint downtime calculations for systems with redundant components...DE, Nov. 8, p. 90

Complete hardware and software for single-user computer system...PF, Nov. 8, p. 160

Fiber Optics

Single-mode-fiber system leads Japanese parade of fiber-optic advances...N&T, July 19, p. 33

Fiber-optic attenuation specs show up hazy in NBS spotlight...N&T, Aug. 16, p. 26

Fiber-optic cables fatten up for data comm...N&T, Sept. 27, p. 19

Fiber optics is growing strong—better connectors, cables will speed things up...SR, Nov. 8, p. 42

Plenty of fibers—and parameters—to choose from...SR, Nov. 8, p. 47

All-plastic fiber-optic assemblies simplify design and cut costs...DE, Jan. 18, p. 68

Semiconductors fit connectors to cut fiber-optic coupling losses...N&T, April 12, p. 29

Optical waveguide coupler avoids signal losses...N&T, June 21, p. 20

Dry fiber connector cuts insertion loss...N&T, Sept. 13, p. 51

Low-loss connectors use new materials, methods to advantage...N&T, Oct. 11, p. 36

Long-wavelength emitters better optic transmission...N&T, Jan. 18, p. 20

Fiber-optic semis, connectors—made for each other...PF, April 26, p. 173

Long-wavelength laser diodes extend fiber-optic signal distance...PF, May 10, p. 143

Long-wavelength laser diodes promise to stretch U.S. fiber-optic links...N&T, May 10, p. 33

ANNUAL INDEX

(continued)

High-field, pulse-plated Schottkys push far-IR receivers to near IR...N&T, June 21, p. 30

Long-wavelength LED improves range with low-dispersion fiber optics...PF, June 21, p. 192

Infrared photodetectors virtually ignore ambient light...PF, Aug. 2, p. 162

Fiber-optics detector and amp on one chip fight RFI and EMI...N&T, Oct. 11, p. 29

Speed up digital data transmission over fiber-optic links with analog feedback...DE, Feb. 1, p. 74

Optic link carries video, audio, data signals...N&T, April 12, p. 19

PC board fiber-optic set speeds sync/async data...PF, May 24, p. 232

Communications getting a double boost: μP-controlled fiber optics...N&T, May 24, p. 36

Optical link extends IEEE-488 bus lengths...N&T, July 5, p. 23

Low-cost fiber-optic link handles medium-speed data...PF, July 5, p. 109

Fiber-optic link transmits 200 kbits/s...PF, Sept. 1, p. 60

Dc/dc converter for fiber optics works from system's 5-V supply...PF, June 21, p. 199

GaAs-based optical switch is ultrafast...N&T, June 21, p. 20

3 technologies gearing up for optical switch race...N&T, Oct. 11, p. 34

Multiplexer packs 16 channels on one fiber-optic cable...PF, Nov. 8, p. 119

Light-sensitive multimeter reads fiber-optic signals...N&T, April 26, p. 44

Optical multimeter measures light power in dBm or dBμ...PF, May 10, p. 138

Fiber-optic power meter has low price tag...PF, Aug. 2, p. 156

Lighten the burden of fiber-optic measurements with new instruments, standards...DE, Oct. 11, p. 126

Hitachi team uncovers unexpected noise in laser-driven fiber-optic transmission...N&T, Jan. 4, p. 39

Instruments

Instruments '80: Probing the high-IQ world of measurements...SR, Oct. 11, p. 69

Testing LSI-based boards: many issues, many answers...SR, March 15, p. 58

CRT/memory-tester system tracks down failure bits in color...N&T, April 12, p. 28

Magnetic bubbles get versatile test systems...N&T, May 10, p. 19

Testing semiconductor reliability can make—or break—a competitive edge ...N&T, June 21, p. 32

PROM-programmed tester pairs logic, memory checkout...PF, June 21, p. 136

Three software-based testers ready to handle bubble memories...N&T, June 21, p. 27

Test system for LSI memory chips plots and maps in color...PF, Sept. 18, p. 56

Off-line tape-subsystem tester can predict GCR-format problems...N&T, Sept. 1, p. 25

Design analog/digital PC cards for reference-board testing...DE, Oct. 11, p. 150

LSI test system operates 60-pin heads at 20-MHz clock rate...PF, Nov. 8, p. 154

Boards become self-testing; fast test systems gain on complex LSI...N&T, Nov. 22, p. 28

Microwave network analyzer first to step onto IEEE bus...PF, April 26, p. 168

Interface box routes GPIB test signals...N&T, May 24, p. 24

Instrument interface system directs test signals on GPIB...PF, June 7, p. 131

IEEE-488 standard spawns differing LSI interface designs...N&T, June 7, p. 23

GPIB-controlled frequency plug-in counts pulses from dc to 26.5 GHz...PF, July 5, p. 113

Burgeoning list of 488-compatibles is matched by analyzer growth...N&T, Aug. 2, p. 34

GPIB controller teams with time-shared computer...PF, Aug. 2, p. 137

Vendor-IEEE cooperation will make bus compatibility easier and easier...SR, Sept. 1, p. 47

Logic analyzer adds interface to aid GPIB programming...N&T, Sept. 13, p. 64

Counters with GPIB interface and custom LSI form a baker's dozen...PF, Oct. 11, p. 236

Compatible-instrument clusters promise speedier, smarter bench measurements...SR, Oct. 11, p. 85

Firmware-controlled module links instruments to GPIB...PF, Nov. 22, P. 252

Portable laboratory teaches μC design, troubleshooting...PF, Jan. 18, p. 119

Coming soon: an ultrafast logic analyzer and a scope/analyzer...N&T, March 29, p. 27

Two logic analyzers—one offers the most speed, the other a scope...PF, April 12, p. 159

Logic analyzer triggers error trace via flow chart...PF, June 7, p. 136

A first: Three-clock logic analyzer demultiplexes μP buses...PF, June 21, p. 133

Brainier on-site troubleshooting tools dig out component-level faults...SR, Oct. 11, p. 74

Isolate glitches in wired-OR asynchronous system speedily with a logic analyzer...DE, Oct. 11, p. 138

Zero in on analog faults with guided-probe ATE diagnostics...DE, Oct. 11, p. 132

Logic simulator generates test programs automatically...PF, Oct. 25, p. 176

Compact logic analyzer checks parallel state and timing logic...PF, Nov. 22, p. 255

From DMMs to automatic testers, instrument chips are up...SR, Jan. 4, p. 112

Team up a μP with signature analysis and ease troubleshooting in the field...DE, Jan. 4, p. 138

Two smart English DVMs reserve calibration needs...PF, Jan. 4, p. 188

Breakthroughs throughout push scope to 1 GHz...DE, Jan. 18, p. 60

Viewing the unviewable: A 1-GHz scope unveils fleeting events...DE, Jan. 18, p. 56

Software combats noise in μP-based multimeter...PF, Jan. 18, p. 138

Handy DMM brings lab accuracy to the field...PF, Feb. 1, p. 109

Dual-trace miniscope views asynchronous signals...PF, Feb. 15, p. 192

DMM—full-feature performer for less than $75...PF, Feb. 15, p. 190

Signal generator gives purity without high price...PF, Feb. 15, p. 188

A μP-based console takes risks out of high-power testing—and puts accuracy in...DE, Feb. 15, p. 118

A first for portable DMMs: high currents, fast check...PF, March 15, p. 116

Flyweight scope's performance puts it in the heavyweight ranks...PF, March 15, p. 118

Low-cost signal generator gates and triggers...PF, March 29, p. 175

DMM plug-in adds dBV and temperature to the measurement repertoire...PF, April 12, p. 214

DVM brings a new 'low' to true-rms measurements...PF, April 12, p. 204

Test station saves calibration time and costs...PF, April 12, p. 165

GPIB-programmable lockbox eliminates manual tuning...PF, April 12, p. 206

Lightest capacitance meter holds accuracy for full year...PF, April 12, p. 161

Thermal scanning system is nondestructive tester...N&T, April 12, p. 19

Programmable calculating voltmeter measures manually or automatically...N&T, April 26, p. 36

Scanning system contours surface operating temps...PF, April 26, p. 151

Spectrum analyzer takes honors for top rf performance...PF, April 26, p. 168

Advanced FFT algorithm and μP team up to ease real-time spectral analysis...N&T, April 26, p. 31

35-MHz, dual-trace scope delivers more for the money...PF, May 10, p. 116

Measure coaxial-cable signal leakage directly—not relatively...DE, May 10, p. 92

Microwave counter measures 40 GHz with μP accuracy and keyboard ease...PF, May 24, p. 256

Miniscope cracks 35-MHz barrier...PF, May 24, p. 183

Automatic test/trim systems checkout for analog LSI devices...PF, June 21, p. 140

Hybrid input amplifier upgrades counter...N&T, July 5, p. 23

Light gates give data recorder improved hardcopy resolution...N&T, July 19, p. 31

Field-instrument calibration moves ahead in Navy's Mecca...N&T, July 19, p. 36

Bubble-memory tester analyzes 10 channels in real time...N&T, July 19, p. 32

Compact, low-cost counters carry lab capability into the field...N&T, July 19, p. 68

4-3/4-digit DPM counts with ±0.005% accuracy...PF, Aug. 2, p. 134

Programmable voltage source gives high accuracy at low cost...PF, July 19, p. 185

Microwave spectrum analyzer takes lab-grade accuracy into the field...PF, Aug. 16, p. 134

DMM plugs into mainframe to test seven functions...PF, Sept. 1, p. 138

Modular switching system untangles analog signals in test systems...DE, Sept. 1, p. 70

Ac wattmeters take on wideband measurements...PF, Sept. 1, p. 62

Low-cost pulse generator reps to 50 MHz...PF, Sept. 1, p. 59

Miniscope functions like a big scope...PF, Sept. 1, p. 59

Intelligent, 4-1/2-digit multimeter makes seven measurements, including dB...PF, Sept. 1, p. 53

Intelligent signal source programs quickly...PF, Sept. 13, p. 195

Overlapping traces, closed toner system print clear, accurate record of data...DE, Sept. 13, p. 108

4-1/2-digit multimeter rivals 5-1/2-digit

ANNUAL INDEX

(continued)

units in sensitivity...PF, Sept. 13, p. 199

Absorption wattmeters embrace second role, as dc-to-1-GHz loads...PF, Sept. 27, p. 124

Kilovoltmeter measures ac and dc with over 10^{16}-Ω input resistance...IFD, Sept. 27, p. 90

Modified multimeter measures precise voltage ratios...DE, Oct. 11, p. 162

Benchtoppers—both digital and analog—change their looks to solve new problems...SR, Oct. 11, p. 103

Instrument performance rides high, spurred by LSI-based designs...SR, Oct. 11, p. 111

Frequency counter: keyboard-controlled, μP-aided—and resolution is high...PF, Nov. 8, p. 155

Handheld DMM carries nine functions into the field...PF, Nov. 8, p. 153

Two-in-one signal generator works in AM/FM or phase-lock...PF, Nov. 22, p. 243

220-GHz spectrum analyzer shrugs off harsh environments...PF, Nov. 22, p. 246

Low-cost handheld DMM packs plenty of performance features...PF, Nov. 22, p. 248

Management & Careers

In face of 36% growth spurt, DEC sticks to its style...Jan. 4, p. 233

'The microprocessor industry has stabilized' (William Davidow, Intel)...Jan. 4, p. 241

The next five years for semi makers (Bernard Vonderschmitt, Solid State Div., RCA)...Jan. 18, p. 173

What's this component company doing in the systems business? (John Corsi, Analog Devices Inc.)...Feb. 1, p. 121

What engineering managers worry about...Feb. 15, p. 211

What does it take to succeed in the consumer market for LSI? (Edgar A. Sack, General Instrument Corp.)...March 29, p. 217

What's holding back the U.S. computer industry? (Edson D. de Castro, Data General Corp.)...May 24, p. 287

Instrumentation industry steers new course (Henk Bodt, Philips Industries)...Aug. 16, p. 149

Career Survey: salary, status and success in electronics engineering...Sept. 13, p. 264

Career Survey: Small teams capitalize on versatility and expertise of EEs...Oct. 11, p. 272

Memories

RAM density boosted with 1-transistor cell...N&T, Jan. 4, p. 27

As memory density quadruples again, designers focus on reliability...N&T, Jan. 18, p. 34

Multichip hybrids for MOS RAM take the guesswork out of increased density...N&T, Jan. 18, p. 26

New 64-k RAM jumps ahead with on-chip refresh control...N&T, Feb. 1, p. 17

RAM reliability, CCD mass storage, Josephson circuitry shine at Compcon...N&T, Feb. 15, p. 58

Fault-tolerant 64-k RAM is full of polysilicon-based improvements...N&T, Feb. 15, p. 25

Fault tolerance, self-refreshing, E-beam fabrication boost memories...N&T, March 15, p. 32

Fast LSI memories cram more information into satellite-communication bands...SR, April 12, p. 118

Growing concern over memory soft errors prompts intense alpha-particle research...N&T, April 12, p. 27

New tests pursue alpha-particles and ion contaminants in semis...N&T, Dec. 6, p. 34

Watch out for problems in 64-k technology, design: memory expert...N&T, May 10, p. 38

Software's main challenger is a 'hybrid' that can be mass-produced...SR, May 24, p. 78

64-k RAM—in line to succeed 16-k by the early 80s...N&T, May 24, p. 33

Recessed-oxide isolation hikes IBM's LSI density and speed...N&T, June 7, p. 26

64-k RAM with single supply could be the standard for future design...N&T, June 21, p. 58

Isolation process and DEAP cut PROM access time...N&T, July 5, p. 31

EPROM upward compatibility—slow without standard pinouts...N&T, Aug. 16, p. 27

Speedy 256-bit ECL RAM accesses in less than 12 ns...PF, Sept. 1, p. 134

Pseudostatic RAM offers dynamic density plus easy interfacing with popular μPs...DE, Sept. 1, p. 94

In-line code is faster for refreshing RAMs by software...IFD, Dec. 20, p. 88

1-μm bubble stores millions in 1 sq. in....N&T, March 29, p. 19

No coil speeds up, shrinks bubbles...N&T, March 29, p. 19

Bubble world swelling with density, design, production advances...N&T, April 12, p. 25

256-kbit bubble chips are here, but 1 Mbit is coming soon...N&T, May 10, p. 31

Bubble memories are bursting out with huge densities in small packages...DE, May 10, p. 54

All about the TIB0303 bubble-memory chip—loops, timing requirements, support...DE, May 10, p. 56

The RBM256—a block-replicate bubble memory of a different color...DE, May 10, p. 66

Bubble memories are high-technology devices that demand high-level testing...DE, May 10, p. 74

Bubble-memory plug-ins add nonvolatile storage...PF, May 24, p. 211

Bubble-memory systems go together easily when memory and control come on modules...SR, May 24, p. 102

As bubble density approaches 1 Mbit, material, design, packaging problems mount...SR, May 24, p. 112

The magnetic bubble story so far...N&T, May 24, p. 23

Ion-implant bubble chip stores 1 Mbyte...N&T, Aug. 16, p. 19

Bubbles—more capacity, components...SR, Nov. 22, p. 155

Building bubble-memory systems becomes a 'family' affair with the TIB1000...DE, Nov. 22, p. 156

Build compact bubble memory systems with just five LSI support circuits...DE, Nov. 22, p. 166

Serial or major/minor loop? Choose the bubble memory to match the application...DE, Nov. 22, p. 172

LSI support circuits take the trouble out of designing bubble-memory systems...DE, Nov. 22, p. 178

Off-the-shelf discrete components give custom performance in bubble memories...DE, Nov. 22, p. 186

μC buses revised to access much more RAM...N&T, March 29, p. 19

Get top memory system performance at low power levels with MOS RAMs...DE, March 29, p. 118

8-Mbyte memory system tailored for emulation...PF, May 24, p. 199

μC memories provide up to 1/2 Mbyte plus ECC...PF, May 24, p. 187

Standard-bus memory system stores over a gigabyte...PF, May 24, p. 177

Versatile memory bus handles mixed memories compatibly...DE, Sept. 1, p. 86

Memory interfaces to μP-based systems become more adaptable...N&T, Sept. 13, p. 60

Get the most out of top performing RAMs by designing memory systems properly...DE, Nov. 8, p. 78

National gets set to introduce more memories, μPs, linears...N&T, Aug. 16, p. 25

ISSCC: The overseas connection...N&T, Jan. 18, p. 27

Midcon/79 shaping up...N&T, Sept. 27, p. 33

Semiconductor bonanza at Wescon...N&T, Oct. 11, p. 21

Counters, memories: Plessey wraps a mixed bag of ICs...N&T, Nov. 22, p. 21

Core-memory board packs 1/4 Mbyte, speedier access, greater density...N&T, Feb. 1, p. 20

Microprocessors & Logic Chips

Microprocessor Data Manual...SR, Nov. 22, p. 49

Let a bipolar processor do your control and take advantage of its high speed (8X300)...DE, Feb. 15, p. 128

CMOS process boosts speed-power of μPs (NSC800)...N&T, Sept. 27, p. 19

Three CPUs and support join family of 16-bit μPs (NS16000)...N&T, Sept. 27, p. 25

ISL array packs nearly 1200 gates yet handles 40-MHz clocks (8A1200)...PF, Sept. 1, p. 131

RCA CMOS μP gets general-purpose support (1802)...N&T, June 7, p. 19

Micro, discrete advances being readied by RCA (1804)...N&T, June 21, p. 19

CMOS video chips generate color graphics and sound (1870, 1869)...N&T, Oct. 25, p. 21

Design cost-effective appliance controls with a 'system-on-a-chip' family (S2000)...DE, June 7, p. 112

LSI processor for analog signals performs three functions at once (S2811)...PF, Sept. 1, p. 54

Boost bit-slice microsequencer speed: Choose from eight different circuits (2900)...DE, May 24, p. 118

To cut controller costs, replace random logic with microcoded bit slices (2901)...DE, Jan. 18, p. 90

Speedy 16-bit one-chip is microprogrammable, too (29116)...N&T, Sept. 1, p. 21

16-bit bipolar microprocessor has powerful instruction performance (29116)...N&T, Sept. 13, p. 58

ANNUAL INDEX

(continued)

Bipolar processor makes a powerful, 16-bit microprogrammable controller (29116)...DE, Oct. 11, p. 118

Analog μP does both a/d, d/a conversion (2920)...N&T, March 15, p. 23

Analog μP gets high-speed access from high-speed EPROM (2920)...N&T, March 29, p. 28

Support for analog μP includes assembler, simulator, PROM programmer (2920) ...N&T, Sept. 1, p. 27

First single-chip signal processor simplifies analog design problems (2920)...DE, Sept. 27, p. 50

Program a spectrum analyzer on a one-chip real-time signal processor (2920)...DE, Nov. 8, p. 70

Development system facilitates programming of signal-processor chip (2920)...DE, Dec. 6, p. 106

Data-handling chip interfaces floppy-disk drive to μP (FDC 3400)...PF, Jan. 18, p. 144

The 6500 μP family's flexible structure boosts throughput and memory efficiency...DE, June 21, p. 106

Controllers, interfaces lend support to μP (6500)...N&T, Nov. 22, p. 22

Simplify CRT-system design with transparent addressing—it comes on a controller chip (SY6545)...DE, Aug. 2, p. 90

Understand the inner workings of the 6801 and take advantage of a system on a chip...DE, Aug. 2, p. 76

Microprocessors, memories, support chips flow from HMOS technology (6805)...N&T, July 19, p. 44

Two chips turn a TV set into an alphanumeric/graphic computer terminal (6847, 1372)...DE, July 5, p. 70

MC68000 μP production starts at Motorola...N&T, July 5, p. 23

Compact instructions give the MC68000 power while simplifying its operation ...DE, Sept. 27, p. 70

Microprogramming makes the MC68000 a processor ready for the future...DE, Oct, 25, p. 98

Learn the timing and interfacing of MC68000 peripheral circuits...DE, Nov. 8, p. 58

Learn to apply the power of the Z8002 by studying a small 16-bit computer...DE, Oct. 25, p. 90

XMOS μCs bring power savings, speed and programmable options to single-chip revolution (8048)...N&T, Aug. 16, p. 50

16-bit design inside makes 8-bit μP tops (8088)...N&T, Feb. 15, p. 26

Processor uses 16-bit design to increase 8-bit performance (8088)...N&T, March 1, p. 24

CPU brings 16-bit performance to 8-bit systems (8088)...DE, March 15, p. 76

Free the μC's CPU from I/O hassles with a special I/O processor (8089)...DE, March 29, p. 102

Software-controlled LSI sound generator makes music while the μP sits it out (AY-3-8910)...N&T, Feb. 15, p. 56

Software-controlled sound IC gives 'command performance' (AY-3-8910)...DE, March 29, p. 110

Take advantage of bipolar computing power and get mini performance with a micro (9440)...DE, Jan. 18, p. 76

Powerful bipolar micro coming off the drawing board (9445)...N&T, Aug. 16, p. 19

Bipolar, 16-bit, high-speed CPU thrives on broad support base (9445)...N&T, Oct. 11, p. 27

Floating-point math performed by one chip (9512)...N&T, Aug. 2, p. 21

Large-scale support for the 9900 family... N&T, May 10, p. 19

Take advantage of the 9900's minicomputer instruction set and separate-bus structure...DE, June 21, p. 74

A minilike memory architecture, flexible I/O and powerful support set the 9900 apart...DE, July 5, p. 76

Color graphics chip generates realistic video animation and text (9918)...PF, July 19, p. 182

ISSCC panel topics bring out industry heavyweights...N&T, Jan. 4, p. 38

As micros go, so go memories, peripherals —packed and fast...SR, Jan. 4, p. 70

Micros getting faster, denser—but watch those 16-bitters...SR, Jan. 4, p. 62

Digital LSI moving fast as MOS, bipolar processes speed up...SR, Feb. 15, p. 36

Semi chips cram in more density, performance...SR, March 29, p. 76

The new ICs: 100,000 faster devices on a chip...SR, March 29, p. 88

Digital techniques give flexibility, speed without problems, high cost...N&T, April 12, p. 56

Early look at Wescon shows heavy emphasis upon μCs...N&T, Aug. 2, p. 32

The motto of Compcon 79: 'μPs extend our reach'...N&T, Sept. 1, p. 26

IEDM will highlight speed gains, improved device structures...N&T, Oct. 25, p. 25

U.S. semiconductor shipments closing in on $10-billion...N&T, Oct. 25, p. 30

IEDM: GaAs, Josephson, MOS advances bring large-scale improvements...N&T, Nov. 8, p. 19

Processors—more powerful, more complex...SR, Nov. 22, p. 50

LSI peripherals: μP's helping hands are strong and getting stronger...SR, Nov. 22, p. 118

Know the LSI hardware tradeoffs of digital signal processors...N&T, June 21, p. 66

Bipolar bit slices and multipliers will speed signal processors, computers...SR, Sept. 1, p. 43

CMOS/SOS advances push signal processing LSIs into real time...N&T, Sept. 13, p. 55

Silicon 'circuit board' cuts Josephson delays...N&T, March 29, p. 20

Current injection logic sets Josephson speed record...N&T, May 24, p. 23

Josephson gate works on dc...N&T, July 5, p. 23

Three-state logic revives with PWM...N&T, Feb. 1, p. 13

Advanced Schottky TTL—faster, more efficient...N&T, Feb. 1, p. 14

Custom LSI chips help compute an airplane's range, velocity...N&T, Feb. 1, p. 19

Fast CMOS gate arrays match custom circuit speed...PF, March 15, p. 129

MOS/digital/analog mix = low-cost, high-performance single-chip μCs...SR, June 21, p. 43

Let your next microcomputer check itself and cut down your testing overhead...DE, Sept. 1, p. 100

Cut LCD-digital-interface design time and hardware costs with standard chips...DE, Sept. 13, p. 118

Packaging & Production

Hybrid-circuit substrates, films and interconnections fire up ECC...N&T, April 26, p. 28

Gold inlays save money at critical connector-contact points...N&T, April 12, p. 34

Thermal resins increase yields by simplifying processing...N&T, July 5, p. 32

Silver pastes for membranes reduce curing temp and costs...PF, July 19, p. 176

Injection molding epoxies stretch shelf life, cure rapidly...PF, July 19, p. 178

Hybrid materials: New inks and substrates offer new problems—and new possibilities...SR, Aug. 16, p. 56

An insulating beryllia substrate and 2 low-cost ceramic sealants...PF, Oct. 25, p. 183

Low-cost platinum-silver conductors resist solder leach, adhere strongly...PF, Oct. 25, p. 185

Thick-film design goes faster in software... N&T, Nov. 8, p. 15

ISHM '79: Gold conductors and tape bonding increase throughput...N&T, Nov. 8, p. 22

Opaque alumina substrates work for light-sensitive ships...PF, Dec. 6, p. 173

Elastomeric strips simplify connecting to chip-carriers...PF, Jan. 18, p. 148

High-density packaging goes denser with QUIPs and square-chip carriers...SR, March 15, p. 36

Low-profile DIP plugs feature heavy-duty pins...PF, April 12, p. 166

Silicone pads take the gaps out of mating dot-matrix LCDs to boards...PF, Aug. 2, p. 172

Folded copper-strip bus connects pins and posts without soldering...PF, Aug. 16, p. 126

IC holder and socket speed up entry, exit from boards...N&T, Sept. 13, p. 58

New socket configurations save insertion time and money...PF, Sept. 13, p. 210

Split-barrels 'pinch' the difficulty out of discrete-wire terminations...DE, Sept. 27, p. 58

Conductive-rubber Zebras make short work of LCD connections...DE, Sept. 27, p. 66

PC-board design system is powerful, interactive...PF, April 12, p. 163

U-shaped contact system simplifies breadboarding...PF, May 24, p. 267

Make ECL wire-wrapped panels reliable with proper routing and tough insulation...DE, June 7, p. 106

Wire-wrapping boards double capacity, pack more I/O connections...PF, July 19, p. 188

Wire-wrapping boards use two I/O assemblies to prototype 22-pin ICs...PF, Sept. 27, p. 122

Positive-resist circuit board streamlines custom design process...PF, Nov. 8, p. 134

Phenolic board with card-edge pads simplifies discrete-component mounting... PF, Nov. 8, p. 136

Multistrand Litz wire adds 'skin' to cut ac losses in switching power supplies...DE, Feb. 1, p. 86

Focus on wire & cable: Start with insulation and conductivity—but be ready for much more...SR, May 10, p. 105

ANNUAL INDEX

(continued)

Small-diameter, high-voltage wires can really take the heat...PF, May 10, p. 115

Choose proper wire-sizes quickly with a programmed TI-59/58...DE, July 19, p. 102

Polyester lowers the cost of flexible ribbon jumpers...PF, Sept. 13, p. 215

Wire is extra-flexible—and flame resistant...PF, Oct. 25, p. 172

Kits ease design of plastic enclosures...PF, Aug. 16, p. 120

Extruded-aluminum guides cut card-cage weight and cost...PF, Aug. 16, p. 128

Enclosure provides power and space for μC boards...PF, Nov. 8, p. 138

Easy-to-make aluminum particles promise low-cost EMI shielding...N&T, March 29, p. 52

An EMI shield is only as effective as its weakest link—the gasket...DE, April 26, p. 88

Transmission-line test holder cleans up EMI/RFI shielding measurements...N&T, June 7, p. 28

Laser annealing takes heat off semiconductor processes...N&T, Jan. 18, p. 23

Processing packs up for the new frontier: VLSI...SR, March 29, p. 82

Etching process shrinks CMOS chip area...N&T, May 24, p. 24

Very-high-speed ICs require thinner lines, smarter design...N&T, May 24, p. 38

Semiconductor technology leaping ahead at the manufacturing leaders...N&T, May 24, p. 40

Laser-crystallized semis 'gown' on silica...N&T, Aug. 2, p. 21

Without (CAD), just try routing a million elements on each chip...SR, Sept. 1, p. 45

Developing CMOS/SOS processes merge speed with density...N&T, Sept. 27, p. 25

Laser-heated electroplating leads to ultrathin IC lines—without masking...N&T, Nov. 22, p. 32

Continuous copper-strip making in 40 s, not 40 days...N&T, Jan. 18, p. 20

Moving vacuum-seal problems solved with ferrokinetics...N&T, Jan. 18, p. 31

VLSI layout software mixes all cell sizes...N&T, Feb. 1, p. 13

Arc-spray gun applies zinc for EMI/RFI shielding...PF, Feb. 1, p. 115

Acoustic stress-wave analyzer checks welds nondestructively...PF, Feb. 15, p. 153

Programmer steps through process control...PF, April 12, p. 165

Draw or copy artwork on color-graphics system...PF, May 24, p. 191

Sequencer/inserter processes radial-lead devices—7000/hour...N&T, Oct. 25, p. 32

Small-diameter, high-voltage wires can really take the heat...PF, May 10, p. 115

Choose proper wire-sizes quickly with a programmed TI-59/58...DE, July 19, p. 102

Polyester lowers the cost of flexible ribbon jumpers...PF, Sept. 13, p. 215

Wire is extra-flexible—and flame resistant...PF, Oct. 25, p. 172

Peripherals

Mass storage, CRT graphics top full agenda at this year's NCC...N&T, May 24, p. 31

Storing the most for the least can take RAMs, tapes, disks, bubbles...SR, May 24, p. 66

Rely on a floppy-disk controller IC to handle 'any density' floppy drives...DE, Feb. 15, p. 72

Floppies, cassettes, cartridges loading up for micros and minis...N&T, April 12, p. 58

Microdisks making move vs floppies, 14-in. disks...N&T, May 10, p. 19

System combines disks—Winchester and flexible...PF, May 24, p. 189

Microdisk system stores up to 45 Mbytes on-line...PF, May 24, p. 215

Controlling small floppies with LSI eases design—yet challenges remain...DE, May 24, p. 154

More capacity, effective back-up define today's disks and nondisks...SR, May 24, p. 83

Disk-drive advances boost μC storage...N&T, June 21, p. 19

A first: a dual-head, double-density floppy with a reliable head and a simple controller...DE, Oct. 11, p. 62

New-look floppies keeping pace...SR, Oct. 25, p. 56

Floppy stores 6 Mbytes with room to expand...N&T, Nov. 8, p. 15

More advances revealed in IBM's new processors, disk-storage subsystems...N&T, April 26, p. 34

Thin-film heads take 'turns' for the better...N&T, July 19, p. 25

20 read/write heads whip out data from rigid-disk drive...N&T, Aug. 2, p. 38

Winchester drives to house intelligent interfaces...N&T, Aug. 16, p. 20

Hard disks withstand challenges from floppy disks and bubbles...N&T, Sept. 13, p. 66

Winchester technology invades floppy territory with low-cost 8-in. drive...N&T, Sept. 13, p. 70

Micro/mini storage peripherals driven by disk, tape advances...SR, Oct. 25, p. 42

Simplify system design with a single controller for Winchester/floppy combo...DE, Oct. 25, p. 76

Winchester disk stores 20 Mbytes in 0.39 cu ft...PF, Oct. 25, p. 134

Dual disk floppy drive boasts 6-Mbyte storage, precise positioning N&T. Nov. 22, p. 27

UPS keeps computer working to transfer data to disk...PF, Nov. 22, p. 256

Disk-drive dc brushless motor beats out ac induction units...PF, Nov. 22, p. 260

Winchester disk packs 34 Mbytes into floppy package...PF, Dec. 6, p. 138

Micromachine: fast enough for Winchester transfers, but adaptable to many interfaces...DE, Dec. 20, p. 66.

Half-inch tape drive can replace disks...PF, May 24, p. 203

Minicassettes take charge in portable terminals...N&T, July 19, p. 42

Cartridge drives getting more data in less space...N&T, Aug. 16, p. 19

Tape head lays 16 tracks and 12,000 bits/in....N&T, Sept. 27, p. 32

Streaming tape improves backup...SR, Oct. 25, p. 48

Save and restore Winchester data efficiently with a streaming cartridge tape drive...DE, Oct. 25, p. 84

Focus on printers: The application determines the type and technology to choose...SR, June 21, p. 122

International miniprinters handle many types of paper...PF, June 21, p. 181

Magnetic printer zips 6000 lines/min...N&T, July 19, p. 25

From scaling to stacking, 4-color plotter does it all...PF, July 19, p. 160

Printer/plotter raises standard for uniformity and blackness...PF, July 19, p. 162

Intelligent printers scan data without help...N&T, Sept. 1, p. 21

Focus on plotters: Under μP control, they bring complex images to reality...SR, Oct. 11, p. 173

Disks look more vulnerable to bubble memories and CCDs...N&T, March 15, p. 30

Solid-state disk uses 16-k dynamic RAMs...N&T, June 7, p. 19

System chock full of chips turns TV into a data center...N&T, Feb. 1, p. 23

Know deflection-yoke specs, then tailor them to your CRT-display requirements...DE, Feb. 15, p. 108

Smart data station serves OEMs in more ways than one...PF, March 15, p. 136

Color CRT graphics brighten with memory and software advances...N&T, March 15, p. 27

Video matrix-scan array packs shift registers...N&T, March 29, p. 19

Desktop graphics systems increase performance using bipolar bit-slice...N&T, April 12, p. 36

μP-based color-graphics displays are low-cost...N&T, June 7, p. 19

Complete video terminal packed onto a single PC board...PF, June 21, p. 186

Simplify video-display design by using a versatile IC controller...DE, June 21, p. 94

Controllers end flicker and improve resolution...PF, Sept. 13, p. 196

Graphics option cuts steps from complex object display...PF, Sept. 13, p. 229

Display graphic or text data on CRT monitors or TV sets...N&T, Oct. 11, p. 31

Small computer terminal takes on toughest jobs...PF, Oct. 25, p. 129

Focus on CRT terminals: Interactive processing and color graphics are highlights...SR, Oct. 25, p. 119

IBM shows 7-color CRT and 4-color printer...N&T, Oct. 25, p. 22

Computer helpers keep up with smarts, easier interfacing...SR, Jan. 4, p. 104

Voice-input terminal doesn't need prerecorded speech to identify speaker...PF, May 24, p. 181

Stand-alones and co-existers free CPUs for important tasks...SR, May 24, p. 91

Port multiplier increases peripheral hookups...N&T, Sept. 13, p, 52

Identify failing bits quickly; design a portable serial I/O monitor...DE, Aug. 16, p. 92

LSI-based bus interface links small computers to peripherals...N&T, Oct. 25, p. 21

Synthesizer speaks phonemic English...N&T, Dec. 6, p. 31

ANNUAL INDEX

(continued)

Power

Civilian Darlingtons have military ability...N&T, Jan. 4, p. 28

Pulsed-L-band power hits 250 W from one transistor...PF, Feb. 15, p. 200

Schottky power diodes—higher efficiency, but watch the barrier...N&T, March 1, p. 23

More powerful semis—and more of them in MOS—SR, March 29, p. 96

To pick the right power semiconductor, understand device processing methods...DE, March 29, p. 142

Current up, on-resistance down in deep-groove VMOS power FET...PF, March 29, p. 184

HEXFET, a new power technology, cuts on-resistance, boosts ratings...N&T, June 7, p. 36

Power HEXFETs hit new highs in performance...PF, June 21, p. 134

Focus on power transistors: MOS and bipolar advances fit growing application areas...SR, Nov. 8, p. 107

Small multioutput power modules take on powerful jobs...PF, June 7, p. 134

Power modules carry 90 A at voltages up to 1400 V...PF, Aug. 16, p. 116

Miniature DIP dc/dc converters boast power-down capability...PF, July 5, p. 97

Compact modular switcher packs efficiency, power...PF, April 12, p. 184

Triple-output switcher delivers high power...PF, July 19, p. 164

Focus on switchers: Performance improves, features multiply, as size comes down...SR, Aug. 2, p. 119

Switchers for microcomputers measure up in power, size...PF, Aug. 2, p. 153

Modular switchers outwit pulse surges ...PF, Sept. 1, p. 58

Open-frame switchers have fewer parts... PF, Sept. 1, p. 61

50-W switcher has low price tag...PF, Sept. 1, p. 150

Miniature 2.5-W switcher operates from 0 to 70 C with no derating...PF, Sept. 27, p. 118

Pocket-sized switchers pack 10 W of power...PF, Oct. 11, p. 222

Low-cost switchers offer five independent outputs...PF, Oct. 25, p. 164

Miniature switchers sport 0.5-in. profile, produce up to 10 W...PF, Nov. 8, p. 156

The future for switchers: optimum designs, 500-kHz supplies...N&T, Nov. 8, p. 26

Linear/switching supply isolates, holds down noise...PF, Dec. 6, p. 156.

MTBF data can be the start of improved power-supply reliability programs...N&T, March 29, p. 30

Simple surge-reduction circuit reduces inrush current from the ac line...IFD, April 12, p. 150

IC regulator teamed with optocoupler makes simple high-voltage power supply...IFD, May 10, p. 98

Digital-to-analog converter simplifies programmable bipolar-output regulator...IFD, May 24, p. 162

Current capacity of three-terminal regulator expands fivefold...IFD, Dec. 20, p. 94

First-fault detectors pinpoint errant power supplies in multivoltage systems...DE, Dec. 20, p. 82

One-shot serving as missing pulse detector spots loss of ac line voltage quickly...IFD, May 24, p. 164

CMOS Schmitt trigger senses overvoltage in precision crowbar circuit...IFD, May 24, p. 166

Analyze switcher stability, bandwidth and gain with a programmable calculator...SR, June 7, p. 70

Limit the heat in ferrite pot cores for reliable switching power supplies...SR, June 7, p. 86

Compute thermal resistance—the key to computer-grade capacitor ripple...SR, June 7, p. 80

Comparator detects power-supply overvoltages, catches glitches...IFD, July 19, p. 120

Switching-supply failure foiled by twin-pulse PWM circuit...N&T, Aug. 2, p. 31

Avoid supply-voltage and overload problems by defining them before they happen...DE, Aug. 2, p. 98

Designing a regulator's LC input filter: 'Ripple' method prevents oscillation woes...DE, Aug. 2, p. 102

Tapped inductor improves efficiency for switching regulator...IFD, Aug. 2, p. 114

Single transistor adds latching function to overvoltage-protection IC...IFD, Aug. 16, p. 98

Prevent transformer saturation and switcher reliability looks better...N&T, Oct. 11, p. 40

Simplified voltage-splitting regulator neatly divides single power source...IFD, Oct. 11, p. 166

Reduce size and cost of buck regulators by running at over 100-kHz frequencies...DE, Nov. 8, p. 82

Batteries hold up progress in electrically powered autos...N&T, Jan. 4, p. 33

Air-cathodes with zinc anodes make high energy-density batteries...N&T, March 29, p. 36

Polypropylene separator improves NiCd temperature performance...N&T, June 7, p. 32

Software & μP Emulation

Software removes limitations to single-chip μP performance without boosting system cost...DE, Feb. 1, p. 68

Focus on software: While problems abound, so do solutions—if you can find them...SR, March 15, p. 103

Software-development packages speed upgrading to 16 bits...N&T, March 1, p. 26

Software package handles 16-bit assembly and PL/M...PF, March 1, p. 205

Cartridge-disk system quickly develops long programs...DE, Sept. 13, p. 98

MDL/μ—A new language for effective μP software development...DE, Sept. 13, p. 102

National plans development support for Z80...N&T, Sept. 13, p. 51

Develop software for 16-bit μC without making costly commitments...DE, Sept. 13, p. 112

16-bit software, power-saving memory cells—cogs in μC design...N&T, Oct. 25, p. 29

Pivot your Intellec development system into 16-bit territory—now...PF, Jan. 18, p. 128

Memory card changes μC into development system...PF, Feb. 1, p. 110

Mini development system shrinks cost—not performance...PF, April 26, p. 138

Emulator handles 8049, other Intel 1-chippers...N&T, April 26, p. 19

Real-time emulation no problem with module...N&T, April 26, p. 19

Architecture based on multiple μPs, buses boosts in-circuit emulation...N&T, April 26, p. 52

Stand-alone Z-80 emulator provides built-in diagnostics...PF, May 24, p. 225

Hardware emulation conquers the testing mountain created by 16-bit μPs...DE, July 5, p. 54

Microprocessor programming—easy, quick with a desktop-computer assembler...DE, Aug. 2, p. 84

Cut hardware, software development costs —take advantage of in-circuit emulators...DE, Aug. 16, p. 66

Development-system storage swells with hard disk...N&T, Sept. 1, p. 21

A first: stand-alone emulator for 8080, 8085 and Z80...N&T, Sept. 13, p. 51

μC development systems have the hardware, software 16-bit μPs need...SR, Sept. 13, p. 92

Development system: Soft keys + four buses = easy use and full-speed emulation...DE, Sept. 27, p. 38

System emulates four μPs simultaneously...N&T, Oct. 11, p. 21

μP development system supports 6502 family...PF, Oct. 11, p. 212

Microprogramming boosts computer power—especially if you can do it yourself...DE, March 15, p. 84

Microprogram a custom MPU for simple programming and speedy multiprocessing...DE, April 26, p. 100

Microprogram tester handles up to 768 kbits...PF, June 7, p. 150

16-bit OS provides mainframe program capability and Pascal...N&T, June 7, p. 26

Pascal marches into the 1980s through Portal, a modular upgrade...N&T, June 7, p. 25

TI's new Pascal to offer interpreter without giving up assembly speed...N&T, June 21, p. 28

Pascal-based compiler boosts efficiency nearly threefold...N&T, July 19, p. 40

Microcomputers are going Pascal, but most need a development system...N&T, Aug. 2, p. 36

Native-code compiler makes Pascal run faster in μCs...N&T, Sept. 1, p. 28

Pascal compiler generates assembly-language code...PF, Nov. 22, p. 267

New micro Fortran means faster floating-point, better I/O...N&T, Feb. 1, p. 18

Fortran-callable subroutine library supports LSI-11/2 interface cards...PF, April 26, p. 126

Modernized Fortran combines powerful I/O with a structure tailored for engineering...DE, Sept. 13, p. 126

Solve number-crunching problems with modernized Fortran programs...DE, Nov. 22, p. 194

Control statements direct the data flow (Fortran)...DE, Nov. 22, p. 197

Better I/O handling simplifies programs (Fortran)...DE, Nov. 22, p. 201

Subprograms eliminate repetitive code (Fortran)...DE, Nov. 22, p. 205

'Green' language gets green light...N&T, June 7, p. 19

DOD unveils Ada language—it's versatile but complex...N&T, July 5, p. 34

Ada test translator now user-accessible...N&T, July 19, p. 26

Standard high-level language (Ada) a long way from widespread use...N&T, Nov. 22, p. 34

Basic—not only easy to master, but unsurpassed for interactive programming...DE, March 1, p. 184

Save data for another run in Basic by using the MAT INPUT statement...IFD, March 15, p. 98

Ease Basic debugging pains by teaming an interpreter with a line editor...DE, May 24, p. 138

Basic's full power and versatility emerge with a μC development system...DE, June 7, p. 92

Lawrence Livermore Labs' Basic-II—aimed right at real-time applications...DE, July 19, p. 94

COSMAC offers Basic with compiler/interpreter...N&T, Sept. 1, p. 21

Basic underlies the multiple languages of smart instruments...SR, Oct. 11, p. 95

Universal FORTH package also available in PROM...N&T, April 12, p. 19

Programmable calculator disassembles μP machine codes with 720-step program...DE, Jan. 4, p. 146

When no single language can do the job, make it a language-family matter...DE, Feb. 15, p. 86

Learn the lingo and hash your way into faster data-base management...DE, May 24, p. 146

Central library delivers programs directly to user's mainframe...N&T, July 5, p. 32

Special software gives data-base system mini speed at micro price...PF, Aug. 2, p. 131

Multiterminal software expands μC system...PF, Sept. 1, p. 60

New technologies will give ammo to both dedicated and universal boosters...SR, Sept. 1, p. 46

Reliability features show μCs the error of their ways...N&T, Oct. 11, p. 28

Small computers tap disk for OS or program...N&T, April 12, p. 19

Help a real-time multitasking OS by carefully defining each task...DE, June 21, p. 86

A multitasking operating system simplifies real-time applications in many ways ...DE, Sept. 13, p. 146

Simplify your real-time application: Leave communications to the operating system...DE, Sept. 27, p. 82

Check operating-system features to see how powerful a μC will be...SR, Nov. 22, p. 133

Powerful commands, a new language enhance measurement/control system...PF, Dec. 6, p. 175

ingenuity

A long time ago we found out that by starting with design excellence and innovative engineering, we could end up with a power supply that would be better. So that's what we did. And that's what we are still doing today.

In a word: ingenuity. In another word: skill.

One- and three-phase rack-mounted power supplies from 500 to 10,000 watts. Call **TOLL FREE 800-631-4298*** *for complete information and prices, or write for our catalog.*

*Except in New Jersey, Hawaii & Alaska

ELECTRONIC MEASUREMENTS INC.
405 Essex Road, Neptune, NJ 07753
Phone: 201-922-9300. **TOLL FREE 800-631-4298***
Specialists in Power Conversion Equipment

CIRCLE NUMBER 45